

St. Luke's Hospital for Lunatics.

REPORTS

FOR THE YEAR

1856.



London:

H. TEAPE AND SON, PRINTERS, TOWER-HILL.

1857.





Digitized by the Internet Archive
in 2018 with funding from
Wellcome Library

<https://archive.org/details/b30309451>

REPORT
OF THE
GENERAL COMMITTEE OF GOVERNORS
OF ST. LUKE'S HOSPITAL,
FOR THE YEAR 1856.

*To the Court of Governors of
St. Luke's Hospital.*

IN presenting to the Annual General Court, their report of the proceedings of the Hospital for the past year, Your Committee feel that the Governors will observe with gratification, that considerable progress has been made in carrying out the extensive improvements, and alterations, which in recent years, have occupied their attention.

In former Reports, Your Committee enumerated many remarkable improvements which had been effected, such as ;—

The provision of an entire new system of Drainage ;—

The removal of all Iron Bars and Gates formerly deemed essential to safety, and the consequent abolition of the old method of coercion and restraint ;—

The division of the long gloomy Galleries into Wards, and the formation of open and well-lighted recesses, wherein the Patients assemble for amusement and recreation ;—

The erection of a large and commodious Chapel, an Amusement Hall, Laundries, Lavatories, and Workrooms; and also Steam-boilers to convey Steam and hot water to all parts of the Building;—

The introduction of large open Fire Stoves throughout the Hospital, whereby much warmth and comfort has been afforded;—

The adoption of an improved Dietary;—

The furnishing and decoration of the Wards; and the purchase of Book-cases, Books, Periodicals, and various other articles affording amusement and entertainment to the Patients;—

During last year, further important improvements have been carried out under the direction of Your Committee, and upon the recommendation of the Medical Officers. Among these the following may be mentioned, viz.;—

The enlargement of the Airing Court appropriated to the Women, by the removal of a division and other brick walls at the rear of the Hospital;—

The removal of massive and unsightly walls, which formerly divided the wings on the Women's side of the Hospital from the Dining-rooms, whereby the wing Wards have been greatly enlarged, and increased light and ventilation have been afforded;—

Improved Dormitories for Patients in the Women's Wards have been provided, by throwing two or more sleeping-rooms into one;—

And lastly, the Basement Cells, which in years gone-by, were occupied by the more afflicted Patients, have been converted into Workshops, Coal-cellar, and Foul Laundry Rooms.

Your Committee hope that these great and varied improvements, so much in accordance with the present enlightened system of treatment, and so essential to the comfort of the Patients, will tend to remove the objections and inconveniences which have been pointed out by the Commissioners in Lunacy,

in their Reports, in regard to the construction and arrangement of the Building, and to divest St. Luke's Hospital of the "cheerless and prison-like aspect, commented on by the Commissioners.

The Annual Income being quite inadequate to meet the expences incurred, Your Committee have found it necessary to make large encroachments on the Funded Property of the Hospital.

In 1855, Exchequer Bills and Stock to the amount of £3,000. were sold by direction of your Committee, and in 1856, £5,300. Stock was sold; and the Treasurer has been further empowered to sell £2,000. Stock to meet the current expenditure, making a total of £10,300.

During the past year, a new code of General Regulations for the Government of the Hospital, as approved by the Secretary of State, under sec. 30, of the Act 18 and 19 Vic. c. 105, has been adopted by the Court of Governors.

With respect to supplies for the past year, Your Committee contracted from the 1st April, until the 30th September last, for the usual kinds of Butcher's Meat at 4s. 2d. per stone of 8 lbs.; and have further contracted from the 1st October last until the 31st March next, for the same, at the rate of 4s. 5d. per stone of 8 lbs. Your Committee contracted from the 1st April until the 30th September last, for the best wheaten bread at $8\frac{1}{4}$ d. for a 4 lb. loaf; for flour at 12s. 6d. per bushel; and for oatmeal at 2s. 8d. per peck; and have further contracted from the 1st October last to the 31st March next, for the best wheaten bread at $8\frac{1}{4}$ d. for a 4 lb. loaf; for flour at 12s. 6d. per bushel; and for oatmeal at 2s. 9d. per peck.

As regards the Patients admitted to the benefits of this Charity, your Committee report that there have been received into the Hospital since the 31st December, 1855, and up to the 31st December, 1856, 163 patients deemed curable.

During the same period, there have been discharged cured 104; uncured 40; as unfit 13; at the request of their friends 2; and there have died 8. Since the 30th July, 1751, the day on which the Hospital was first opened for the reception of Patients,

and up to the 31st December 1856 inclusive, there have been admitted into the Hospital 19,178 patients, DEEMED CURABLE ON THEIR ADMISSION; of whom there have been discharged,

Cured	8,490
Uncured	6,597
As Idiots, diseased or unfit	1,865
By the desire of friends	543
From having (after admission) appeared to have been with child at the time of admission...	62
Having proved to have been Insane more than twelve calendar months before the appli- cation to be admitted	14
The friends not complying with the Rules of the Hospital... ..	57
Having been found to be, in point of circum- stances, improper objects for this Charity...	2
Having been found to have been previously discharged, uncured, from another Hospital for Lunatics	5
From not being Lunatics	2
There have died in the Hospital since its first opening	1,456
There remain on the books of the Hospital on the 31st December, 1856, deemed curable	85
TOTAL	19,178

Since the opening of the Hospital in 1751, and up to the 31st of December, 1856, there have been re-admitted 723 patients DEEMED INCURABLE, who had been previously discharged uncured, *exclusive* of those patients (eight in number) who have, from time to time, been re-admitted, by virtue of an Annuity Deed (dated 11th June, 1788) of the late Samuel Whitbread, Esq., deceased; and since the 31st December, 1855, and up to the 31st December, 1856,—one patient, *deemed incurable on re-admission*, has been discharged at the request of friends; 9 paupers; 10 upon trial 1 has died; and 12 have been admitted.

Of the said 723 patients (re-admitted as Boarders) *exclusive* of the Whitbread patients,—

98 have been discharged by the desire of friends.

40 have been discharged cured.

10 upon trial.

1 uncured.

9 by order of the Committee, being Paupers.

24 in consequence of the friends not complying with the Rules of the Hospital:

5 being deemed, in point of circumstances, improper objects for the Charity.

457 have died, and

79 were in the Hospital on the 31st December last,
— *exclusive* of Mr. Whitbread's patient.

Total 723.

The total number of patients remaining on the books of the Hospital on the 31st December, 1856 was 165, namely, 85 patients deemed curable, and 80 Boarders, including Mr. Whitbread's patient.

Your Committee have under consideration the propriety of making an earnest appeal to the public to assist them with funds to meet the very large expenditure which has been incurred in carrying into effect the alterations and improvements enumerated in this Report.

From a want of sufficient means, your Committee are prevented from carrying into effect many additional and important improvements of a most desirable character, especially on the Men's side of the Hospital. They feel that further constant encroachments on the funded property entrusted to their hands for the maintenance of the Hospital as a great Public Charity, might jeopardize the permanent stability of the Institution. Before, therefore, they can venture upon the further improvements, suggested by the Medical Officers, they must feel assured of a liberal support from the Public.

Your Committee recommend that the Right Honorable Lord

OVERSTONE be requested to continue the honour to this Charity by being its PRESIDENT.

That the Right Honourable the Earl of ABINGDON, the Right Honourable Lord AVELAND; the Right Honourable CHARLES SHAW LEFEVRE, M.P. (Speaker of the House of Commons); Sir EDMUND ANTROBUS, Baronet; JAMES BENTLEY, Esq.; and WILLIAM HENRY WHITBREAD, Esq., be re-elected Vice-Presidents of this Corporation.

That HENRY FRANCIS SHAW LEFEVRE, Esq., be re-elected Treasurer.

Your Committee report, that four Members of the Committee have died, and three have resigned since the last Annual Court, and that in consequence of the limited number of Governors, your Committee up to the present time have found it impracticable to supply their places.

And finally, Your Committee recommend that the remaining Officers of this Corporation be severally re-elected.

All of which is nevertheless submitted.



AN ACCOUNT OF RECEIPTS AND PAYMENTS, BY
As examined and approved by the AUDITORS,

Dr.	RECEIPTS.	£. s. d.
Balance of Cash on 31st December, 1855		403 16 10
For the Board of Incurables...		1,556 16 0
Dividends on Stock		4,607 13 2
DONATIONS, LEGACIES, VIZ.:—		
George John Steer, Esq., a Governor's qualification	31 10 0	
Francis George West, Esq., fifth and last payment for a Governor's qualification...	7 7 0	
John Williams, Esq., fifth donation ...	10 10 0	
The Directors of the Poor of Coventry .	5 5 0	
Messrs. Whitbread and Co., One Year's Rent Charge	105 0 0	
The Bank of England	21 0 0	
Mrs. Alicia Bayne, her annual benefaction for 1854, 1855, and 1856 ...	6 6 0	
W. Andrews Hunt, Esq.	1 1 0	
Mr. Batten, per Dr. A. J. Sutherland...	1 1 0	
Donations of Tradesmen on paying them	28 8 0	
From the boxes at the Hospital	5 14 7	
	223 2 7	
Consolidated Three per Cent. Bank Annuities, Reversionary Legacy of Mrs. Mary Batard, £166 13s. 4d., Stock valued at 92	153 6 8	
	376 9 3	
		£6,944 15 3
By Cash for £5,300 Consolidated Bank Annuities, sold ...	4,789 15 0	
		£11,734 10 3

HENRY FRANCIS SHAW LEFEVRE, Esq., TREASURER,
from 1st January, 1856, to 31st December, 1856.

PAYMENTS.

	Cr.		
	£.	s.	d.
Salaries and Servants' Wages	2,045	9	11.
Printing, Stationery, and Disbursements	213	1	8
Rent and Taxes	294	13	3
Improvements and Repairs	2,453	1	10

House Expenses, viz.:—

Butchers' Meat	£1,560	7	9
Bread, Oatmeal, and Flour	762	0	10
Beer	599	19	6
Butter, Cheese, and Bacon	590	9	5
Grocery	337	6	8
Milk	120	2	6
Wine and Brandy	220	3	6
Medicines and Appliances	113	17	5
Coals	430	18	3
Gas	104	1	0
Furniture	502	3	5
Blankets, Bedding, House Linen, &c. ...	329	3	6
Soap, Oil, Soda, &c.	138	13	0
Brooms, Brushes, and Baskets	41	8	0
Tin and Copper Ware, regulating Clocks, and adjusting Scales	18	2	6
Gardener's Work	18	15	3
Water Rent	25	0	0
Petty Expenses paid by the Steward ...	385	2	10

6,297 15 4


11,304 2 0

By Consolidated 3 per Cent. Bank Annuities, Reversionary
 Legacy of Mrs. Mary Batard, £166. 13s. 4d., Stock
 transferred by her Executors to the General Fund
 of the Hospital, and valued at 92
 „ Balance of Cash at Messrs. Fuller and Co.'s, Bankers,
 on 31st December, 1856

153 6 8

277 1 7

£11,734 10 3



R E P O R T

OF THE

Physicians and Medical Superintendent,

FOR THE YEAR 1856.

*To the President, Vice-Presidents, Treasurer, and Governors,
of St. Luke's Hospital.*

MY LORDS, LADIES, AND GENTLEMEN,

In obedience to Clause 65 of the General Regulations, recently approved by Secretary Sir GEORGE GREY, we have the honor of submitting to your notice our Report on the condition of the Hospital during the past year, with some remarks that we believe may be useful in guiding the charitable efforts of the Governors for the future.

The carefully drawn Tables, appended hereto, prepared by Mr. Walker, will put the Governors in possession of the more prominent Statistical facts relating to the patients:—the number admitted and discharged, &c.; the social, domestic, and religious position; and a classification of the cases admitted, shewing hereditary taint, ages at time of attack, duration of malady on admission, and the number of attacks previously experienced by the patient.

On reviewing these data, we are pleased and thankful to find that the means so liberally placed at our disposal, by your bounty and care, have enabled us to restore to their homes, sound in mind and body, 68.42 per cent. of the patients whose treatment has been completed during the year; this is considerably larger than the per centage cured during the preceding twelve months, and somewhat in advance of the average for the last five years. The same Table, (No. 1.,) shews also a remarkably small mortality, compared with preceding years.

We are especially anxious, on the present occasion, to draw attention to these items of statistical information, in connection with the fact that the general health of the patients has been unusually good during the past year. Coughs, colds, and chest disorders of any kind, have been of rare occurrence; these seem to have yielded before the improved warmth and comfort of the Wards; as did a few years since, boils, carbuncles, whitlows, and other evidences of low nutrition, on the abolition of soup, and the substitution of a more solid and nutritious dietary. All these ailments, were rife indeed, at their respective seasons, before the various improvements alluded to were carried out. Erysipelas, too, which, in former years, seemed to haunt the constantly damp galleries, fastening itself upon the naturally delicate, or on those prostrated and enfeebled by other disease, is now hardly ever to be met with, in the comfortable and thoroughly dry Wards of the Hospital; and we would suggest, that the whole of the flooring in the Wards should be painted, as has been done in Wards B, D, and E, on the female side, as thus a much drier atmosphere would be secured, and the labor of cleansing much economized.

Some useful information may be gathered from Table No. 3. On a careful examination, it will here be found, that the average duration of residence in the Hospital, of those patients who are sent out cured, is somewhat under four months. This, though not an argument in favor of, must mitigate the force of any strictures that may be made against, the urban site of the Hospital; and Table XI., showing that we receive more than two-thirds of our patients before the malady has strengthened itself by two months of mismanagement at home, speaks something for the facility which the locality affords for removal to your hospitable Wards.

As this Report should treat only of such *generalities* of management bearing on the medical and moral treatment of the patients as may be usefully laid before the Court of Governors, we hesitate to go into any *details* of medical treatment, feeling that such would be out of place—but we ought not to omit to mention that the experience of each succeeding year shews us that Insanity is in a great majority of cases an unerring symptom, often the

earliest, of faulty nutrition; shewing itself generally before any organ of the body could be said, in ordinary pathological parlance, to be diseased. This defective nutrition may be the result of parental disease—excessive wear and tear, mental and bodily—deficiency of hygienic requisites, or vicious habits and practices. This is in all cases to be combated chiefly by means of a well assorted and liberal dietary, with such adjuncts as shall provoke an appetite, where perhaps for months none has been known. We trust that these stern requirements of exhausted nature will plead an excuse for the somewhat large consumption of wine, Brandy, Porter, and Cod liver Oil, which helps to increase the annual expenditure under the head of medical requisites.

During the past year, no Suicide, nor indeed any casualty except of the most trivial kind, has occurred; and the increased amount of contentment if not of happiness displayed by the patients, must have struck the least observant of the Committee, in the course of the periodical inspections of the Hospital by that body; and this evidence of comparative comfort, added to the harmony and satisfaction evinced by those whose lives are generally so replete with misery, forms a very substantial and gratifying return for the large sums recently laid out in improvements and decorations within the Wards. Here we must offer you our sincere thanks for the liberal way in which our various suggestions, for the improvement and partial remodelling of the Hospital, have been responded to and carried out by your Committee. And though for some of the alterations we must give a word or two of explanation, if not of apology, as they have been made in opposition to the views of many well qualified to give opinions on the subject, yet we must congratulate you on having made the Female side of the Hospital, as far as substantial work is concerned (some little matters of furnishing and fitting being still wanted in a few of the Wards) as complete and perfect for the purposes for which the Hospital was founded, as the most scrupulously exacting philanthropist could desire. The point on which we have held opinions contrary to those usually received, is that of converting the exercising Galleries into spacious sitting Saloons or Wards, and the disuse of small day-rooms. In advi-

sing the Committee on this subject, we have constantly borne in mind the view that this Hospital was originally intended for curable cases only, and that it was to be made as perfect as possible for this class and for none other; this consideration induced us, (regarding the ever-changing nature of the population, and the active and restless symptoms of the constant new admissions,) to adopt that plan which would enable us to distribute the Patients to the greatest extent, and which would afford as little opportunity as possible for the irritable or noisy to annoy and vex their associates. This alteration in the Wards, and consequent classification of the Patients, we have had the pleasure to see developed, and the consequence is, that any one who will take the trouble to visit the Wards, will find in each, several small coteries or parties, every one having its own distinct pursuit, not interfering with or noticed by any of the others, and all, at all times, under the eye of one Attendant; and it is rare, indeed, for anything to occur to disturb the general harmony pervading the whole. Were these Patients, however, congregated close together in small ordinary sitting-rooms, as is the case with the more or less chronic Patients in some of our County Asylums, and was in our own small sitting-rooms formerly, either the rooms must be unreasonably numerous, and the number of Attendants consequently largely increased, or the quiet of the whole community would be constantly sacrificed through the agency of one uneasy spirit, and that composure so essential to the success of our treatment being destroyed, would make a sensible difference at the end of each year in the results of our labors.

We trust we may be pardoned if we remind you that the Hospital must still be considered an ineligible place for the constant residence, year after year, of the chronic Insane; and we hope that you will take the matter of their removal to some Branch Suburban locality into your early consideration. The establishment of this auxiliary Institution, besides providing for the Boarders in our keeping, would be a valuable aid in the treatment of some of the more obstinate recent cases. A change from the Hospital Wards often suggests itself to our minds as very desirable in those cases which arrive at a certain stage of

improvement and then remain stationary, and which baffle every effort for their further amelioration, and eventually leave the Hospital uncured. In some such cases, a return to their homes, (provided this be safe for Patients and others, and the friends able and willing to receive them) is of service, but there are so many cases that cannot be so far trusted,—so few friends in circumstances to afford such a trial, and so many difficulties, such as distance of Patients' homes,—insufficiency or absence of Medical supervision, and the various treatments that such Patients receive,—that we look forward to the construction of the Branch Hospital with considerable anxiety, and with a full faith in the beneficial results that will accrue from its foundation.

While expressing our satisfaction and thanks for the perfect nature of the internal alterations, (which have been fully carried out on the Female side only) we must not omit to call your attention to the fact that much might be done, as funds permitted, and perhaps not without the aid of Parliament, to increase the space available for airing Courts and out door exercise. This space is at present very confined—added to this, what is now in your possession is so divided and cut up by the malposition of different Buildings, that a large portion of it is almost useless. It is the daily practice now, when the weather permits, to allow some patients to walk beyond the Hospital boundaries, either in the street or to some easily accessible place of Amusement; but there will always be, in a community of recent cases, a very large proportion, numerically speaking, that cannot be allowed the privilege; and for such cases, larger and more airy exercising Grounds are essentially necessary; and these, quite sufficiently spacious, might be formed without any serious difficulty beyond that of the expense.

Before we conclude, we must beg to draw your attention to a subject of very great importance. One of the primary objects for which St. Luke's was founded, was that of disseminating among medical men a knowledge of the nature and treatment of Insanity. The weekly meetings of the Committee bring to light ample evidence that this information is still much wanted by the profession; and it is only readily obtainable in the wards of our

two Metropolitan Hospitals. During the last four years 136 Medical Men have availed themselves of the privilege accorded to them by the Governors of St. Luke's. But this number forms but a very small proportion; indeed, a very small per centage of the hundreds of men entering the Medical profession through the London Schools alone. May we beg of you to take into consideration what, if any, means can be taken for affording to the Medical Student, such facilities of observing cases of Insanity, as he has of obtaining a knowledge of other forms of Disease.

In conclusion, we beg to acknowledge the many acts of courtesy that we have experienced at the hands of your Committee during the past year, and to thank those Officers and Servants who have been associated with us in the performance of our various and arduous duties, for their kind and active zeal and earnest co-operation.

We have the honour to be,

My LORDS, LADIES, and GENTLEMEN,

Your very faithful Servants,

(Signed)

A. J. SUTHERLAND, M.D.

HENRY MONRO, M.B., Oxon.

HENRY STEVENS, M.B., Lond.

Medical Superintendent.

St. Luke's Hospital,

12th February, 1857.

STATISTICAL TABLES

For the year 1856.

N^o. II.

STATEMENT of the Number of PATIENTS ADMITTED and
DISCHARGED from 1st January to 31st December, 1856.

(I.) PATIENTS DEEMED CURABLE.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
In the Hospital on 1st January, 1856.	21	68	89
Admitted during the year	47	116	163
	68	184	252
Discharged—Unfit	5	8	
By desire of Friends	2	
Remaining in the Hospital	22	63	
	27	73	100
Treatment completed	41	111	152

STATEMENT shewing the per centage.

<i>Males.</i>	<i>Females.</i>
Cured.. 23 equal to 56.097 per cent...	Cured.. 81 equal to 72.972 per cent.
Uncured 11 „ 26.829 „ ..	Uncured 29 „ 26.126 „
Died .. 7 „ 17.093 „ ..	Died .. 1 „ .900 „
<u>41</u>	<u>111</u>

Males and Females together.

Cured.. .. 104	equal to 68.421 per cent.
Uncured 40	„ 26.315 „
Died 8	„ 5.263 „

152

TABLES FOR 1856—*continued.**Admissions and Discharges—continued.*

(II.) PATIENTS DEEMED INCURABLE.

			Males.	Females.	Total.
In the Hospital on 1st January, 1856			39	50	89
Admitted during the year			6	6	12
			45	56	101
Discharged, having become wholly chargeable }	Males	Fem.			
to a Parish }	3	6			
At request of Friends }	1	..			
On trial }	4	6			
Died }	..	1			
			8	13	21
Remaining in the Hospital			37	43	80

(III.) SYNOPSIS OF THE TWO CLASSES.

	Curable.	Incurable	Total.
On the Books on 1st January, 1856.	89	89	178
Admitted in 1856.	163	12	175
	252	101	353
Discharged in 1856.	167	21	188
Remaining in the Hospital	85	80	165

	Males	Females	Total
Average number of Patients attending Divine Service within the Hospital	39	63	102

TABLES FOR 1856—*continued.*N^o. II.MONTHLY ADMISSIONS, CURES, *and* DEATHS of
CURABLE PATIENTS *during* 1856.

MONTH	ADMITTED.			CURED.			DIED.		
	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
January ..	4	3	7	—	4	4	1	—	1
February ..	3	12	15	3	11	14	1	—	1
March ..	7	10	17	—	2	2	1	—	1
April	5	8	13	5	9	14	—	—	—
May	7	11	18	2	6	8	1	—	1
June	4	9	13	2	8	10	1	1	2
July	6	13	19	3	4	7	—	—	—
August. ..	4	12	16	1	5	6	—	—	—
September..	1	11	12	1	7	8	—	—	—
October. ..	3	11	14	4	10	14	1	—	1
November ..	1	10	11	2	3	5	1	—	1
December ..	2	6	8	—	12	12	—	—	—
Total ..	47	116	163	23	81	104	7	1	8

TABLES FOR 1856—*continued.*N^o. III.PERIOD of RESIDENCE *in the Hospital of* PATIENTS
DISCHARGED CURED *in* 1856.

							Males.	Females.	Total.
4	Weeks	1	3	4
5	"	2	5	7
6	"	1	4	5
7	"	—	4	4
2	Months and upwards	2	11	13
3	"	"	"	3	4	7
4	"	"	"	2	7	9
5	"	"	"	4	12	16
6	"	"	"	3	8	11
7	"	"	"	1	5	6
8	"	"	"	—	3	3
9	"	"	"	3	2	5
10	"	"	"	—	2	2
11	"	"	"	1	4	5
12	"	"	"	—	7	7
Total							23	81	104

N^o. IV.DOMESTIC CONDITION of CURABLE PATIENTS
admitted during 1856.

							Males.	Females.	Total.
Married	25	69	94
Single	20	41	61
Widowed.	2	6	8
Total	47	116	163

TABLES FOR 1856—*continued.*N^o. V.HEREDITARY PREDISPOSITION *of* CURABLE
PATIENTS *admitted during* 1856.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
Hereditary	14	27	41
Not Hereditary	31	81	112
Not ascertained	2	8	10
Total	47	116	163

N^o. VI.AGES *of* CURABLE PATIENTS *admitted during* 1856.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
From 16 to 20 Years	5	8	13
21 to 25	6	21	27
26 to 30	4	20	24
31 to 35	8	11	19
36 to 40	11	20	31
41 to 45	3	10	13
46 to 50	1	12	13
51 to 55	3	6	9
56 to 60	3	4	7
61 to 65	1	3	4
66 to 70	2	1	3
Total	47	116	163

TABLES FOR 1856—*continued.*N^o. VII.DURATION of EXISTING ATTACKS of CURABLE
PATIENTS *at the time of admission in 1856.*

							Males.	Females.	Total.
1 Week	7	15	22
2 Weeks	5	14	19
3 "	5	14	19
4 "	8	9	17
5 "	2	4	6
6 "	5	7	12
7 "	—	1	1
2 Months	3	10	13
3 "	3	19	22
4 "	2	8	10
5 "	1	4	5
6 "	4	8	12
7 "	1	1	2
8 "	—	—	—
9 "	1	2	3
Total							47	116	163

N^o. VIII.NUMBER of ATTACKS of CURABLE PATIENTS
admitted during 1856.

							Males.	Females.	Total.
First	37	92	129
Second	8	20	28
Third	2	4	6
Total							47	116	163

TABLES FOR 1856—*continued.*N^o. IX.RESIDENCE *of* CURABLE PATIENTS
prior to admission in 1856.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
Metropolis	19	56	75
Provinces	28	60	88
Total	47	116	163

N^o. X.RELIGIOUS PERSUASION *of* CURABLE PATIENTS
admitted during 1856.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
Baptist.. .. .	4	7	11
Calvinist	—	3	3
Catholic Apostolic	—	1	1
Church of England	33	81	114
Church of Scotland	1	—	1
Independent	4	11	15
Latter Day Saints	—	2	2
Lutheran	1	—	1
Primitive Methodist	1	—	1
Roman Catholic	—	3	3
Wesleyan Methodist	3	8	11
Total	47	116	163

TABLES FOR 1856—continued.

N^o. XI.

OCCUPATION of CURABLE PATIENTS *admitted during 1856*

MALES.		FEMALES.		<i>Females continued.</i>	
Army Pensioner	1	Cook	1	Sailor	1
Baker	1	Dairy Woman	1	Sawyer	1
Blacksmiths	2	Dress Makers	11	Shipwrights	2
Brass-finisher	1	Flower Maker	1	Shoemakers	2
Brushmaker	1	Governess	1	Soldier	1
Butler	1	Greengrocer	1	Stillman	1
Butcher	3	House-Keepers	3	Surgical Instru-	
Carpenters	2	Lady's Maids	2	ment Maker	1
Chemist	1	Milliners	3	Tailor	2
Clergyman	1	Servants	11	Timekeeper	1
Clerks	4	Stay Maker	1	Watchmaker	1
Coachman	1	Waistcoat Maker	1	Whitesmith	1
Confectioner	1				
Cutler	1	Wives of following		Daughters of following	
Dock Foreman	1	(not having separate		(not having separate	
Draper's Assistants	2	occupations,) viz.,—		occupations,) viz.,—	
Engineer	1	Beadles	2	Baker	1
Farm Laborer	1	Blacksmith	1	Butcher	1
Fringemaker	1	Brass-worker	1	Custom House	
Grocers	2	Butcher	1	Officer	1
Labourers	3	Butler	1	Farmers	2
Merchant	1	Cab Driver	1	Inn Keeper	1
No occupation	1	Carpenters	3	Ironmonger	1
Painter	1	Cattle Salesman	1	Policeman	1
Pilot	1	Cheesemonger	1	Relieving Officer	1
Postman	1	Clerks	3	Ship Caulker	1
Printer	1	Coachmen	2	Tailor	1
Publican	1	Draper	1	Time Keeper	1
Sailors	2	Engineer	1	Warehouseman	1
Servants	2	Farmer	1	Watchmaker	1
Shoemaker	1	Gardeners	2	Whitesmith	1
Stableman	1	Gold Chain Maker	1		
Surgeon's Assistant	1	Greengrocer	1	Widows of following	
Tutor	1	Gunner	1	(not having separate	
		Hammerman	1	occupations) viz. :—	
		Hatter	1	Carpenter	1
		Hosiers	2	Turner	1
		Ironmonger	1		
		Jeweller	1		
		Labourers	6		
		Miller	1		
		Oil and Colorman.	1		
		Ostler	1		
		Painters	2		
		Porter	1		
		Publicans	3		
		Railway Clerk	1		
		Rope Maker	1		

47

116

Males 47

Females 116

Total 163

TABLES FOR 1856—*continued.*

No. XIII.

NUMBER of DEATHS of CURABLE and INCURABLE
PATIENTS during the year 1856, shewing the assigned causes
thereof.

	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
Apoplexy	3	—	3
Conjestion of the Brain.. ..	1	—	1
Disease of the Stomach and Bladder ..	1	—	1
Exhaustion	1	—	1
Heart Disease	1	1	2
Natural Decay	—	1	1
Total	7	2	9

TABLE OF POST-MORTEM APPEARANCES.

Name.	Age.	Sex and Domestic Condition	Mental Malady.	Duration of Malady.	Concomitant Bodily Affections	Mode of Death.	Date of Post Mortem Examination.	General External Appearance.	Scalp.	Cranium.	Weight of Brain.	C E R E B R A L .		Thorax.	Abdomen.
												Membranes.	Substance.		
A. C. W.	32	Male. — Single.	Mania.	3 Weeks.	Flabby ; badly nourished — Feeble circula- tion.	Coma.	January 29th, 1856. — 39 hours p.m.	Body well nourished. Short and well formed	Scalp rather ad- herent.	Calvarium easily sepa- rated.	54 $\frac{7}{8}$ oz.	Dura Mater not adherent, contained deposits of bone in different parts, and one cluster of spi- cula over centre of right cerebral he- misphere. Arach- noid healthy; right arachnoid distend- ed with large re- cent clot of $\frac{3}{4}$ of an inch in depth, which covered the whole of the right hemis- phere, and extended under the falx cere- bri, to a slight ex- tent covered the left. Vessels of the Pia Mater very much injected, and one of the large super- ficial veins was found punctured in a position cor- responding to the bony spiculum mentioned above.	Brain firm— somewhat tough— Sp. Gr. of Grey matter 1041—White matter 1040—Me- dian band distinct —no fluid in ven- tricles — choroid granular, but with- out cysts. Pineal body contained a large mass of earthy matter.	Lungs generally healthy; consider- able, static con- gestion in depen- dant portions, with some consolidation at posterior part of right lung. Heart very large—gene- rally very thin— texture very soft and flabby—blood, fluid—the auriculo- ventricular open- ings very large, more especially on the right side.— Valves healthy ; there was a cyst, the size of a florin, under the serous membrane, cover- ing the external surface of the right ventricle. No fluid in pericardium.	Stomach and bowels healthy. Liver pale, finely mottled, granular and greasy, readily breaking down un- der pressure of the fingers. Gall bladder contained healthy bile. Kid- neys much con- gested, otherwise healthy.

Name.	Age.	Sex and Domestic Condition	Mental Malady.	Duration of Malady.	Concomitant Bodily Affections	Mode of Death.	Date of Post Mortem Examination.	General External Appearance.	Scalp.	Cranium.	Weight of Brain.	C E R E B R A L.		Thorax.	Abdomen.
												Membranes.	Substance.		
T. S.	52	Male. — Married.	Melan- cholia.	8 Months.	Very Anæmic and badly nourish- ed.	Coma.	April 10th, 1856. — 24 hours p.m.	Body thin but not emaciated. Several hemor- rhagic patches un- der skin of legs, and smaller ones over the breast and ab- domen.	Scalp very adherent.	Calvarium asym- metrical; thin.	54½ oz.	Dura Mater easi- ly separable; natu- ral. Arachnoid appa- rently healthy; in the cavity of arach- noid, on left side, was about ½ oz. of partially coagulated blood diffused over the anterior exter- nal and inferior surface of left he- misphere of the brain. Pia Mater congested.	Sp. Gra. of Grey matter 1038. White matter 1030. Fovi- an bands visible in places; Grey matter generally pallid, few bleed- ing puncta on section; left ven- tricle contained a- bout double the quantity of serum contained in right, viz., 2 drachms. Choroid natural.	Lungs healthy; in left pleura was an abscess not com- municating with lung; circumscri- bed by lymph, ap- parently connected with disease of the rib; (old fracture.) Heart. — Small quantity of fluid in pericardium; valves healthy, muscular substance very soft, greasy, and friable; right auricle trans- parent in large patches.	Liver pale, small, friable; Gall blad- der healthy; Sto- mach apparently healthy; Bowels distended, with closely adhering feces. Kidneys large, granular, con- gested; Spleen pul- taceous; Bladder and other viscera healthy.
T. W.	34	Male. — Married.	Melan- cholia.	3 Months.	Much Stomach derange- ment and disease of Bladder and Kidneys.	Syn- cope.	May 6th. 1856. — 16 hours p.m.	Body much emaciated, and bruised on limbs.	Scalp very firmly adherent.		49½ oz.	Dura Mater heal- thy, easily separa- ble. Sinuses en- gorged.	Grey matter, Sp. Gra. 1039. White matter 1047. Brain generally healthy, few bleed- ing puncta on secti- on; firm; grey mat- ter pallid; choroid without cysts; ven- tricles contained usual amount of fluid. Cerebellum healthy.	Lungs slightly emphysematous, otherwise healthy. Heart, slightly soft and pale; right auriculo-ventricu- lar opening, very large.	Liver pale, very friable. Gall blad- der full of gall stones. Kidneys much congested and friable. Stomach very small, the walls thickened, and mucous lining easi- ly broken down. Bowels—patches of congestion in small intestines. Bladder contracted, its walls very thick, the whole viscus enor- mously congested, and lymph and mucus on lining membrane. Spleen soft, pul-taceous.

TABLE OF POST-MORTEM APPEARANCES—continued.

Name.	Age.	Sex and Domestic Condition	Mental Malady.	Duration of Malady.	Concomitant Bodily Affections.	Mode of Death.	Date of Post Mortem Examination.	General External Appearances	Scalp.	Cranium	Weight of Brain.	C E R E B R A L.		Thorax.	Abdomen.
												Membranes.	Substance.		
J. D.	46	Male. — Married.	Mania.	4 or 5 Weeks.	Impoverished condition of blood.	Coma.	May 10th. — 30 hours p.m.	Body well nourished; muscular structure. Dark; marks of handcuffs and ligatures on the legs; some bruises on the body and limbs.	Scalp easily separated from bone.		52 ozs.	Dura Mater adherent in one or two places. Sinuses very full; and superficial veins generally much engorged. Membranes apparently healthy.	Sp. Grav. Grey matter 1040. White ditto 1045. Brain generally firm; healthy. Fovian bands visible in places. Many bleeding puncta on section; ventricles contained no fluid; choroid granular, with a few small cysts. Cerebellum healthy.	On removing sternum, it was found fractured at about its middle; no attempt at reparation had been made, but there was some bloody extravasation to a small extent in anterior mediastinum—spongy structure of bone softened, infiltrated with pus. Heart large, flabby, soft, and very much thinned and dilated on the right side; muscular structure very soft. Lungs healthy.	Liver pale, greasy, and easily perforated by the finger. Stomach and bowels healthy. Kidneys engorged. Spleen very soft and pulpy. Other organs healthy. Blood generally fluid, and very poor.
J. M. K.	38	Male. — Married.	Acute Melancholia.	6 Months.	Very feeble circulation; refusal of food.	Syncope.	June 19th. — 14 hours p.m.	Body fairly nourished; several hæmorrhagic spots on chest and limbs.		Calvarium asymmetrical; internal table very spongy and deeply grooved, and furrowed by vessels of Dura Mater.	45½ ozs.	Dura Mater thickened, easily separable from calvarium; vessels much injected; arachnoids very much injected; contained 2 or 3 ounces of dark coloured serum, and a small quantity—a teaspoonful, of pus, not encysted, but situated in the left middle fossa of the skull, at the	Grey matter rather pallid; no median bands visible. Sp. Gr. 1036. White matter; few bleeding puncta on section—firm. Sp. Gr. 1043. Ventricles of brain contained no fluid. Choroid plexus free from cysts. Brain generally healthy. Cerebellum healthy.	Heart contained fibrinous clots on both sides; right side very flabby, right auricle very thin. Left ventricle firmly contracted and hypertrophied. Whole structure unctuous and badly nourished; pericardium contained ½ oz. of fluid. Lungs did not collapse on removing sternum; pale, crepitant; emphysematous; bronchi	Stomach and bowels apparently healthy. Liver very soft; broke on being lifted up. Gall bladder of twice usual size; distended with light greenish fluid bile; cystic duct pervious. Kidneys congested, half as large again as usual; finely mot-tled; very friable; capsule on removal carrying cortical substance away

Name.	Age.	Sex and Domestic Condition	Mental Malady.	Duration of Malady.	Important Bodily Affections.	Mode of Death.	Post Mortem Examination.	General External Appearances	Scalp.	Cranium.	Weight of Brain.	C E R E B R A L .		Thorax.	Abdomen.
												Membranes.	Substance.		
M. A. L.	35	Female. — Married.	Melan- cholia.	7 Months.	Disease of Heart.	Coma.	July 10th, 1856. 24 hours p.m.	Body well formed, and well nou- rished.		Calvarium asymmetri- cal.	42 oz.	Dura Mater easily separable, much congested. Arachnoid healthy. Pia Mater much in- jected; about $\frac{1}{4}$ of an ounce of serum escaped on remov- ing brain. Mem- branes very much injected.	Sp. Gr. of Grey matter 1041. White matter 1046—gene- rally firm—slight effusion of blood on posterior surface of Cerebellum; Grey matter pallid; me- dian band very faintly seen in a few places; many and large bleeding puncta on section. Ventricles con- tained about twice as much fluid as usual; choroid free from cysts; struc- ture generally healthy; Spinal cord healthy.	Heart—right side, especially auricle, very much thinned, and distended with fluid blood. Auri- culo - ventricular opening very large. Left side healthy, auricle very small; white patch, size of florin, on an- terior aspect of heart. Lungs quite healthy, crepitant.	Liver healthy. Gall bladder dis- tended with thick green bile. Sto- mach and bowels healthy. Arch of colon folded over. Bladder contracted, empty; healthy. Kidneys finely mot- tled. Capsule brought away cor- tical substance. Spleen healthy.

TABLE OF POST-MORTEM APPEARANCES—continued.

Name.	Age.	Sex and Domestic Condition.	Mental Malady.	Duration of Malady.	Concomitant Bodily Affections.	Mode of Death.	Date of Post Mortem Examination.	General External Appearance.	Scalp.	Cranium.	Weight of Brain.	C E R E B R A L.		Thorax.	Abdomen.
												Membranes.	Substance.		
H. S.	65	Female. — Single.	Demen- tia.	43 Years.		Syncope.	August 7th, 1856. — 38 hours p.m.	Body thin, but not emaciated.		Calvarium asymmetri- cal.	40½ oz.	Dura Mater not adherent; very much thinned in two places under sagittal suture — there not thicker than gold beater's skin. Arachnoid healthy. Pia Mater anæmic.	Sp. Gr. Grey matter 1030. White matter 1037. Brain generally very soft, anæmic; few punc- ta on section; Cho- roid without cysts. Septum lucidum broken down.	Heart small, covered with adi- pose tissue; mus- cular structure very healthy; fluid blood in right auricle; a very large fibri- nous clot in left ventricle, extending through valves, and down the aorta to the extent of 8 in.; (the fibrinous cord extended up the large vessels, and was drawn out to the extent of a foot from the innomin- ata axillary and brachial) the extre- mity of the aortic cord was more clot- like but very firm. Lungs healthy throughout.	All the viscera very healthy; the Gall bladder much larger than usual, and distended with mispissated very dark bile.

Name.	Age.	Sex and Domestic Condition	Mental Malady.	Duration of Malady.	Important Bodily Affections.	Mode of Death.	Post Mortem Examinations.	General External Appearance.	Scalp.	Cranium.	Weight of Brain.	C E R E B R A L.		Thorax.	Abdomen.
												Membranes.	Substance.		
T. P.	39	Male. — Single.	Melan- cholia.	8 Months.	Disease of Heart.	Coma.	Aug. 26th. 1856. — 24 hours p.m.	Body well formed and well nourished.	Scalp thick, easily separable.	Calvarium asymetri- cal.	57 ozs.	Dura Mater easily separable; sinuses much engorged; arachnoid healthy; Pia Mater enor- mously injected; there was a thin layer of effused blood below the arachnoid, on the upper surface of the right anterior lobe of the cere- brum, to the ex- tent of about a square 1½ inch; membranes very dense.	Grey matter 1034, White matter 1041, Many bleeding puncta on section; median bands only faintly visible any- where. Ventricles contained no fluid. Choroid free from cysts. Cerebellum healthy.	Heart loaded with adipose tissue; right side very thin, and much di- lated; whole heart greasy. Lungs healthy.	Stomach and bowels healthy. Liver very friable. Kidneys congested.
B. G. M.	68	Male. — Married.	Mania.	6 Months.	Disease of Heart and Arteries.	Syncope.	Dec. 21st 1856. — 36 hours p.m.	Body very much ema- ciated, little more than skin and bone.	Scalp very thick, closely adherent to Calva- rium.	Calvarium thick, asymetri- cal.	51½ ozs.	Dura Mater ad- herent firmly at right anterior por- tion of vault for space of a florin— generally thin, tearing readily. Arachnoid opales- cent in patches; much sub-arach- noid effusion; much serum es- caped on removing brain.	Brain very soft, almost diffuent; œdematous; ven- tricles distended with serum; optic thalami very soft, like butter; cho- roid free from cysts; no median bands visible. Ar- teries in many places crisp.	Heart had a large patch (size of 5s. piece) of white fibrinous deposits on anterior surface of right ventricle; right side very much thinned; left ventricle very much thickened; super- ficial vessels dis- tended, tortuous, and in places crisp. Aorta much di- lated; fibrinous concretions. Lungs congested; old pleurisy of right side, lining univer- sally adherent.	Stomach and bowels apparently healthy. Liver and kidneys healthy, but much con- gested. Very thin light straw colored fluid in gall bladder.

TABLE of the relative WEIGHTS of Patients on their admission and discharge.
1856.]

NAME.	Age.	Sex.	Form of Malady.	Period of Residence.	Weight on Admission.		Weight on Discharge.		Increase.	Decrease.	Ho-
				weeks.	st.	lbs.	st.	lbs.	lbs.	lbs.	discha
A.H—n.	32	Female	Mania	53	7	11	8	0	3	...	Uncu
E. J—s.	45	Female	Dementia	54	6	0	6	1	1	...	Uncu
C. T—t.	33	Female	Mania	66	6	11	8	11	28	...	Uncu
S. W—l.	30	Female	Melancholia	53	8	1	8	0	...	1	Uncu
E. B—d.	35	Female	Puer. Mania	53	7	0	7	12	12	...	Uncu
A. L—d.	29	Female	Dementia	53	7	10	7	6	...	4	Uncu
P. B—l.	22	Female	Mania	66	7	13	9	9	24	...	Cure
M. R—s.	33	Female	Melancholia	53	5	13	7	8	23	...	Uncu
W. M—s	27	Male	Melancholia								
H. C—k.	45	Female	Dementia	53	9	9	9	1	...	8	Uncu
R. S—d.	40	Female	Melancholia	53	6	11	6	5	...	6	Uncu
W. H. R.	25	Male	Mania	46	9	9	10	2	7	...	Cure
S. H—s.	25	Female	Melancholia	54	8	2	8	3	1	...	Uncu
E. W—e.	24	Female	Dementia	53	9	5	9	9	4	...	Uncu
M. A. S.	28	Female	Mania	48	7	11	10	9	40	...	On
J. S—s.	36	Female	Mania	67	6	4	6	12	8	...	Cure
W. P—e.	50	Male	Melancholia	53	8	13	10	3	18	...	Un
E. T—p.	47	Female	Melancholia	53	6	2	6	8	6	...	Un
L. E. L.	44	Female	Mania	44	5	8	8	5	39	...	Cu
F. H. T.	21	Male	Melancholia	41	9	6	11	0	22	...	Cu
S. L—y.	28	Female	Mania	48	7	5	8	7	21	...	Cu
J. P—t.	40	Male	Mania	72	9	8	9	12	4	...	Un
S. M—n.	31	Female	Mania	53	6	9	7	4	9	...	Un
H. L—e.	35	Female	Melancholia	53	8	2	7	5	...	11	Un
H. H—t.	21	Female	Mania	33	9	4	11	5	15	...	Cu
M. D—d	20	Female	Mania	32	6	6	8	0	22	...	Cr
J. A. P.	28	Female	Melancholia	35	6	1	7	12	25	...	Cr
M. A. S.	25	Female	Melancholia	53	6		7	12	26	...	Un
E. P—r.	25	Female	Mania	53	7	8	7	11	3	..	Un
T. E. P.	—	Male	Dementia	53	12	3	11	13	...	4	Un

TABLE of WEIGHTS—*continued.*

NAME.	Age.	Sex.	Form of Malady.	Period of Residence.	Weight on Admission.		Weight on Discharge.		Increase.	Decrease.	How discharged
				weeks.	st	lbs.	st.	lbs.	lbs.	lbs.	
C. E.	33	Female	Mania	31	8	1	8	11	10	...	Cured
T—s.	26	Male	Mania	53	10	7	12	5	26	...	Uncured
S. R.	25	Female	Puerp. Man.	55	8	6	11	0	36	...	Cured
J. F.	42	Female	Melancholia	53	7	11	6	2	23	...	Uncured
V—t.	55	Female	Melancholia	41	6	7	7	6	13	...	Cured
V—e.	40	Female	Melancholia	33	8	9	9	5	10	..	Cured
A. R.	26	Female	Melancholia	27	7	7	8	9	16	...	Cured
L—e.	62	Male	Mania	43	8	5	9	4	18	...	Cured
J. T.	24	Female	Melancholia	38	6	8	7	2	8	...	Cured
S—n.	25	Female	Melancholia	41	7	12	10	9	39	..	Cured
C—e.	67	Male	Melancholia	34	8	7	8	0	...	7	Uncured
Upsed P—s.		Female	Mania	29	8	3	8	5	2	...	Cured
. W.	20	Male	Mania	19	6	5	8	4	Cured
H—l.	25	Female	Mania	53	7	2	7	7	5	...	Uncured
r—r.	21	Female	Mania	50	7	12	10	2	32	...	Cured
y—y.	49	Female	Melancholia	53	10	5	9	2	17	...	Uncured
l—e.	35	Female	Mania	29	7	10	8	10	14	...	Cured
. W.	33	Female	Melancholia	27	6	3	7	7	18	...	Cured
t. A.	22	Male	Mania	28	10	7	10	11	4	...	Cured
r—r.	33	Female	Melancholia	31	7	8	8	1	7	...	Cured
A. B.	43	Female	Mania	14	8	9	9	13	18	...	Cured
V—n	46	Female	Melancholia	19	6	4	7	3	13	...	Cured
. S.	38	Male	Mania	29	10	10	10	1	...	9	Cured
. S.	17	Female	Mania	47	5	2	6	6	18	...	Cured
r—r.	62	Female	Melancholia	53	6	10	7	3	7	...	Uncured
n—n.	22	Female	Mania	21	7	6	9	4	26	...	Cured
d—d.	38	Female	Mania	8	6	9	7	2	7	...	Cured
k—k.	49	Male	Melancholia	41	9	3	10	3	14	...	Cured
V—t	36	Female	Mania	9	7	11	8	2	5	...	Cured
S—l.	49	Female	Melancholia	9	11	2	11	5	3	...	Cured

TABLE of WEIGHTS—continued.

NAME	Age.	Sex.	Form of Malady.	Period of Residence.	Weight on Admission.		Weight on Discharge.		Increase.	Decrease.	How dischar.
				weeks.	st.	lbs.	st.	lbs.	lbs.	lbs.	
M. A. D.	49	Female	Melaneholia	8	6	11	7	6	9	...	Cured
F. E. A.	20	Male	Melancholia	53	9	5	9	11	6	...	Unneu
S. V—s.	55	Female	Ac.Dementia	6	6	11	7	2	5	...	Cured
F. McM.	26	Male	Melancholia	29	12	2	10	13	Cured
A. B—t.	20	Female	Dementia	23	7	2	7	11	9	...	Cured
S. W. H.	27	Male	Mania	14	9	4	10	4	14	...	Cured
R. E—s.	22	Male	Mania	27	7	3	8	9	19	...	Cured
S. P—r.	49	Female	Melancholia	7	8	11	8	10	...	1	Cured
M. A. L.	35	Female	Dementia	20	8	11	8	13	2	...	Cured
S. A. G.	59	Female	Melancholia	11	6	8	7	6	12	...	Cured
H. G—y.	36	Male	Melancholia	18	8	10	10		18	...	Cured
S. A. C.	29	Female	Puer.Meleho.	13	6	11	8	2	17	...	Cured
A. M. F.	24	Female	Melancholia	38	5	11	4	6	On
S. S—r.	24	Female	Mania	25	7	6	8	7	15	...	Cured
F. W—n	38	Female	Melancholia	8	10	0	10	3	3	...	Cured
E. D—h.	37	Female	Melancholia	13	8	11	8	7	...	4	Cured
M. B—d.	24	Female	Mania	5	8	0	8	3	3	...	Cured
H. R. B.	19	Male	Mania	6	8	10	9	5	9	...	Cured
A. B—d.	28	Female	Melaneholia	18	7	0	7	2	2	...	Cured
A. E—s.	40	Female	Mania	29	7	1	7	3	2	...	Cured
E. B—y.	50	Female	Mania	7	10	4	9	10	Cured
H. W. H.	22	Male	Mania	13	8	1	9	5	18	...	Cured
B. B. T.	21	Male	Mania	22	8	5	9	13	Cured
S. G—y.	53	Female	Melaneholia	26	6	9	7	2	7	...	Cured
C. R. J.	19	Female	Mania	12	8	10	9	1	5	...	Cured
E. A. H.	21	Female	Puerp. Mania	26	6	8	8	3	23	...	Cured
L. D—k.	26	Female	Mania	30	9	6	10	10	18	...	Cured
J. W—r.	—	Male	Mania	5	11	1	11	4	3	..	Cured
H. T—s.	56	Male	Melancholia	10	11	1	11	12	11	...	Cured
E. G—l.	39	Female	Mania	5	6	13	7	6	7	...	Cured

TABLE of WEIGHTS—*continued.*

NAME.	Age.	Sex.	Form of Malady.	Period of Residence.	Weight on Admission		Weight on Discharge.		Increase.	Decrease.	How discharged
				weeks.	st.	lbs.	st.	lbs.	lbs.	lbs.	
M—s.	50	Female	Melancholia	5	6	13	6	12	...	1	Cured
E. F-r.	22	Male	Melancholia	15	8	8	9	0	6	...	Cured
B—r.	52	Female	Melancholia	25	9	4	10	1	11	...	Cured
P—n.	17	Male	Mania	4	6	11	8	3	20	...	Cured
A. A. M.	38	Female	Melancholia	35	8	3	9	10	21	...	Cured
B—l.	23	Female	Mania	35	6	11	8	8	25	...	Cured
W. T.	19	Male	Mania	25	7	6	8	7	15	...	Cured
W—e.	38	Female	Melancholia	6	8	1	9	4	17	...	Cured
C—n.	50	Female	Melancholia	9	7	11	8	8	11	...	Cured
P—e.	28	Female	Mania	24	6	10	8	11	29	...	Cured
E. W.	25	Female	Mania	13	7	3	7	11	8	...	Cured
W—n.	37	Female	Melancholia	5	8	6	8	8	2	...	Cured
L—s.	22	Male	Mania	23	10	5	12	2	25	...	Cured
A. B.	32	Female	Mania	28	7	13	7	9	...	5	Cured
E—s.	28	Male	Melancholia	24	8	11	10	7	21	...	Cured
S—y.	45	Female	Melancholia	4	9	1	9	3	2	...	Cured
B—n.	26	Female	Melancholia	17	7	9	7	12	3	...	Cured
T—l.	37	Male	Melancholia	23	9	5	11	10	33	...	On Trial
W. H.	22	Male	Melancholia	13	10	1	10	13	12	...	Cured
S—d.	43	Male	Mania	13	7	8	8	8	14	...	Cured
D—n.	21	Female	Ac. Dementia	24	7	1	9	4	31	...	Cured
L—n.	38	Female	Melancholia	11	9	6	9	4	...	2	Cured
R—s.	30	Female	Puerp. Mania	21	6	6	9	3	39	...	Cured
T. G.	24	Female	Puerp. Mania	22	6	10	8	4	22	...	Cured
M. D.	37	Male	Mania	14	9	10	10	5	9	...	Cured
R—s.	62	Female	Melancholia	9	8	11	8	8	...	3	Cured
G—s.	27	Female	Mania	14	7	11	8	9½	12½	...	Cured
C—l.	23	Female	Mania	20	7	7	9	3	24	...	Cured
T—n.	52	Female	Mania	5	8	7	8	7	Cured
J—d.	17	Female	Mania	8	8	9	9	8½	13½	...	Cured

TABLE of WEIGHTS—*continued.*

NAME.	Age.	Sex.	Form of Malady.	Period of Residence.	Weight on Admission.		Weight on Discharge.		Increase.	Decrease.	How discharged.
				weeks	st.	lbs.	st.	lbs.	lbs.	lbs,	
E. P—e.	27	Female	Mania	9	6	10	6	11	5	.	Cured
M. B—l.	26	Female	Mania	7	7	6	8	3	11	...	Cured
H. M—s.	43	Female	Melancholia	9	7	10	8	11	15	...	Cured
M. A R.	27	Female	Puerp. Mania	16	6	5	6	7	2	...	Cured
E. B—d.	21	Female	Mania	4	10	7	10	13	6	...	Cured
A. S—'s.	34	Female	Mania	14	8	2	8	8	6	...	Unfit
J. A. S.	53	Male	Melancholia	6	12	7	13	...	7	...	Cured.